L Number	Hits	Search Text	DB	Time stamp
<del>-</del>	. 31	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)	USPAT; EPO; JPO; DERWENT;	2003/07/29 13:28
-	30	(((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)) AND (report\$1 business)	IBM_TDB USPAT; EPO; JPO;	2003/04/29 12:09
-	. 28	((((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)) AND (report\$1 business)) AND (merg\$6)	DERWENT; IBM_TDB USPAT; EPO; JPO;	2003/04/29 12:09
-	42	(denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1	DERWENT; IBM_TDB USPAT; EPO; JPO;	2003/04/29 16:03
-	2	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (invert\$4)	DERWENT; IBM_TDB USPAT; EPO; JPO;	2003/04/29 12:44
-	4	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (separate NEAR4 file\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 12:44
-	227	(denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 13:27
-	48	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (invert\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 13:30
-	3	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 13:34
-	4	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 13:59
- -	18 2	5852819.URPN. 5852819.URPN. AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	IBM_TDB USPAT USPAT; EPO; JPO; DERWENT;	2003/04/29 13:55 2003/04/29 14:01
-	2906	(separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 14:01
-	1089	(stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) )	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 15:19
-	3	(denormaliz\$6 (de ADJ1 normaliz\$6)) AND ((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) ))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 14:02
	295	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) )) AND report\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 15:18
-	32	(((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) )) AND report\$1) AND distribut\$4 AND merg\$4	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:08

Column\$1 data database\$1)   AND report\$1 NAND   DERWENT; IBM_TDB   SPAT; Column\$1)   DERWENT; IBM_TDB   SPAT; Column\$1)   DERWENT; IBM_TDB   DER				<b>,</b>	
- 86 (((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 Column\$1 data database\$1)))) AND report\$1) AND PRO', ISO, Cots.  - 38 (stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 Column\$1)))  - 7 ((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 Column\$1)))) AND 707/\$.cots.  - 23237 ((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) AND 707/\$.cots.  - 24 ((transmit\$4 NEAR4 (field column)) AND (denormaliz\$6 (de ADJ1 normaliz\$6))  - 2 ((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6))  - 38 (stor\$3 NEAR20 ((separat\$3 ach) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) AND (field\$1 column\$1)))  - 38 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) AND DERWENT; IBM_TOB USPAT; EPO, JPO, DERWENT; IBM_TOB USPAT; EPO,	[-	2	5852819.pn. AND field\$1	USPAT;	2003/04/29 15:08
BMA TDB					
B6	1				
Column\$1 data database\$1))) AND report\$1) AND			/// AC NEADO / HONEADO (C. 104		0000/04/00 45 40
TO7/\$.cds.   DERWENT;   IBM, TDB   USPAT;   Column\$1)))	-	86			2003/04/29 15:18
Selection   Separation   Sepa					
Column\$1))   Column\$1)   Column\$1   Column\$1			/U//\$.ccis.		
column\$1)))		, ,	(ator\$2 NEAD20 (apparet\$2 NEAD6 flo\$1 NEAD6 (fiold\$1		2002/04/20 16:04
- 23237  - 23237  - 23237  - 23237  ((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 Column\$1)))) AND 707/\$.ccls.  - 23237  ((transmit\$4 NEAR4 (field column))  - 2 (((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6))  - 38 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 NEAR6 (field\$1 column\$1))) AND (stor\$3 NEAR20 ((separat\$3 each) NEAR6 (field\$1 NEAR6 (field\$1 NEAR6 (field\$1 column\$1))) Column\$1)))  - 36 (stor\$3 NEAR20 ((seach) NEAR6 file\$1 NEAR6 (field\$1 column\$1))) Column\$1))) Column\$1)))  - 431 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND ((((stor\$3 NEAR20 (file\$1)) AND ((stor\$3 NEAR2 (column\$1 field\$1)) AND ((stor\$3 NEAR2 (table\$1)) AND	-	30			2003/04/29 10:04
Tolumn\$1))) AND 707/\$ cots.   IBM_TDB USPAT: EPO_JPO; DERWENT; IBM_TDB USPAT; EPO_JPO; DERWENT; I					
-					
Column\$1))) AND 707/\$.ccls.   EPO_JPO_DERWENT; IBM_TDB USPAT; EPO_JPO_DERWENT; IBM_TDB USPAT	-	7	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1		2003/04/29 15:20
- 23237 (transmit\$4 NEAR4 (field column)) - 2 ((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6)) - 38 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) BM DUSPAT: EPO_JPO; DERWENT; IBM_TDB USPAT: Column\$1))) - 0 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) CPRWENT; IBM_TDB USPAT: Column\$1))) - 1958 (stor\$3 NEAR20 ((sech) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) CPRWENT; IBM_TDB USPAT: COLUMN\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) AND TO7/\$.ccis. ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND TO7/\$.ccis. ((stor\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7) USPAT: EPO_JPO_DERWENT; IBM_TDB USPAT: EPO_JP					
- 23237 (transmit\$4 NEAR4 (field column)) - 2 ((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6)) - 38 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 USPAT; EPC), JPC), DERWENT; IBM, TDB USPAT; EPC, JPC), DERWENT; IBM, TDB USPAT; EPC, JPC, DERWENT; IBM, TDB USPAT; EPC, JPC), DERW					
2				IBM_TDB	
- 2 (((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6)) - 38 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (Field\$1 NEAR6 (field\$1 Column\$1))) - 0 (stor\$3 NEAR20 ((leach) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$2 NEAR0 (file\$1 tolumn\$2 NEAR0 (file\$1 tolumn\$2 NEAR0 (file\$1 tolumn\$2 NEA	-	23237	(transmit\$4 NEAR4 (field column))		2003/04/29 16:03
2					
2	·				
ADJ1 nomaliz\$6))  ADJ1 nomaliz\$6))  (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6					
- 38 (stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 column\$1))) - 0 (stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 1958 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (USPAT; EPC, JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; I	-	2			2003/04/29 16:04
Section   Sect		1	ADJ1 normaliz\$6))		
-   38					
(field\$1 column\$1)))  (stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1 Column\$1)))  (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))  (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))  (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))  ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.  ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.  (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls. AND ((grallel NEAR4 process\$3))  (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls. AND (parallel NEAR4 process\$3)  ((parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  ((parallel NEAR4 table\$1) EPO; JPO; DERWENT; IBM, TDB USPAT; EPO; JPO; DERWENT; IBM, TDB USPAT		00	(otor#2 NEAD20 ((concent#2 cont) NEAD2 Staff NEAD2		2002/04/20 40:05
- 0 (stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1 column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 NEAR6 (field\$1 column\$1)))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 NEAR6 (field\$1 nearbox (field\$1 nearbo	-	38			ZUU3/U4/29 16:U5
- 0 (stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1 USPAT; cloumn\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))		]	(IICIGG COMMING 1)))		
- 1958 (stor\$3 NEAR20 ((leach) NEAR6 file\$1 NEAR6 (field\$1 Column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 1958 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) - 1958 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (uspAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPA					
column\$1)))	_	ا ا	(stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1		2003/04/29 16:05
- 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 431 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND - 431 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND - 707/\$, ccls 40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND - 707/\$, ccls.) AND (parallel NEAR4 process\$3) - 73 (parallel NEAR4 process\$3) AND 707/\$, ccls. AND ((column field) NEAR4 file) - 2216 invert\$3 NEAR4 table\$1 - 2216 invert\$3 NEAR4 table\$1 - 37 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7) - 38 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1) - 39 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1) - 30 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1) - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4) - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)		"			2000/04/20 10:00
- 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1))) - 431 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (parallel NEAR4 process\$3) - 40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (parallel NEAR4 process\$3) - 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file) - 2216 invert\$3 NEAR4 table\$1 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7) - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7) - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1) - 80 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1) - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1) - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1) - 80 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4) - 9003/07/09 10:05			33.dn.m.\$ 1,7,7		
- 1958 (stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))					
EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; J	-	1958	(stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))		2003/04/29 16:05
- 431 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.   BM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
- 431 ((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.  40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls. AND (parallel NEAR4 process\$3)  - 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1 USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J				DERWENT;	
- 40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND (SPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWEN					
- 40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.) AND (parallel NEAR4 process\$3)  - 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 38 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 39 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 30 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  - 30 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	-	431			2003/04/29 16:06
- 40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.) AND (parallel NEAR4 process\$3)  - 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 38 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 37 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)			707/\$.ccls.		
- 40 (((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.) AND (parallel NEAR4 process\$3)  - 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 38 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 lBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT;					
707/\$.ccls.) AND (parallel NEAR4 process\$3)  - 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 380 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	İ	10	(//atareta NEADOO (Slagt) NEADO (Salde) aalumatika)\\\ AND		2002/04/20 46:40
- 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 380 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)    DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB U	-	40		1	2003/04/29 16:10
- 73 (parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)  - 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 38 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)    38 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	ļ		7077\$.ccis.) AND (parallel NEAR4 process\$3)		
- 2216 invert\$3 NEAR4 table\$1					
Field   NEAR4 file   EPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JP	_	73	(parallel NEAR4 process\$3) AND 707/\$ ccls_AND ((column		2003/04/29 16:39
- 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1		'3			2300/04/20 10:33
- 2216 invert\$3 NEAR4 table\$1   IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J		1			
- 2216 invert\$3 NEAR4 table\$1  - 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  USPAT; EPO; JPO; DERWENT; IBM_TDB				1	
- 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)    EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB US	-	2216	invert\$3 NEAR4 table\$1		2003/07/09 10:45
- 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)  - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)		1	·		
- 2 (invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7) - 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1) - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1) - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1) - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4) - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4) - 37 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EP		1		DERWENT;	
- 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1))  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;			·	_	
- 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERW	-	2	(invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)		2003/07/09 10:05
- 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;		1			
- 37 (invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)  - 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1)  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;					
- 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1   EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DEPO; DEPO; JPO; DEPO; DEPO; JPO; DEPO; JPO; DEPO; DEPO; JPO; DEPO; JPO; DEPO; JPO; DEPO; JPO; DEPO; DEPO; JPO; DEPO; DEPO; JPO; DEPO; DEPO; DEPO; DEPO; DEPO; DEPO; JPO; DEPO; DEP			(invested NEADA Askis 64) NEADO (IV) 64 C 1 (64)		0000/07/00 00 7:
- 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1   DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO	-	37	(Inverta3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)		2003/07/09 09:54
- 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1   IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; END; JPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO					
- 80 (invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1   USPAT; EPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JPO; DERWENT; EPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO		1			
field\$1))  - 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)  EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;	<u> </u>	90	(invert\$3 NEAR4 table\$1) AND (congrat\$3 NEAR3 (column\$4)		2003/07/09 10:05
DERWENT;   IBM_TDB   USPAT;   2003/07/09 10:07   EPO; JPO;	-	80			2003/07/08 10:05
- 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)   IBM_TDB		]	11010¢1//		
- 350 (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4) USPAT; 2003/07/09 10:07					
EPO; JPO;	-	350	(stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)		2003/07/09 10:07
	.		, ,		
	'			DERWENT;	
IBM_TDB					

•	8	((stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)) AND (denormaliz\$7 de-normaliz\$7)	USPAT; EPO; JPO;	2003/07/09 10:05
			DERWENT;	
			IBM_TDB	
-	45	707/\$.ccls. AND (stor\$3 NEAR2 (column\$1 field\$1) NEAR2	USPAT;	2003/07/09 10:23
		separat\$4)	EPO; JPO;	
			DERWENT;	
	40	700/6 and AND (store) NEADS (solument) Sold(A) NEADS	IBM_TDB	0000/07/00 40:04
<del>-</del>	18	709/\$.ccis. AND (stor\$3 NEAR2 (column\$1 field\$1) NEAR2	USPAT;	2003/07/09 10:34
		separat\$4)	EPO; JPO; DERWENT;	,
			IBM_TDB	
_	601	column NEAR2 file	USPAT;	2003/07/09 10:34
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	39	column NEAR2 file NEAR2 stor\$3	USPAT;	2003/07/09 10:44
			EPO; JPO;	
			DERWENT;	
	10	//image with a NIC A Dia to block a NIC A Dia State A	IBM_TDB	0000/07/00 40 44
-	10	((invert\$3 NEAR3 table\$1) NEAR4 file\$1)	USPAT;	2003/07/09 10:44
			EPO; JPO; DERWENT;	
		•	IBM_TDB	
_	1	(invert\$3 NEAR4 table\$1) SAME (separat\$3 NEAR2 file\$1)	USPAT:	2003/07/09 10:46
	<b>'</b>	( and the state of the stat	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5852819.pn.	USPAT;	2003/07/09 14:46
			EPO; JPO;	
			DERWENT;	
		(150 4055 41   155 40700 41   15500 40 41   150000 441   150005 571 4	IBM_TDB	
-	6	("5343554"   "5497334"   "5596494"   "5600844"   "5680557"	USPAT	2003/07/09 14:31
_	20	"5689431").PN.   5852819.URPN.	USPAT	2003/07/09 14:32
	2266	(row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1 attribute\$1)	USPAT;	2003/07/09 14:47
		SAME (table\$1) SAME file\$1	EPO; JPO;	2000/07/00 14:47
			DERWENT;	
			IBM_TDB	
-	1228	(row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1 attribute\$1)	USPAT;	2003/07/09 14:48
		SAME (table\$1) WITH file\$1	EPO; JPO;	
			DERWENT;	
]	35	(/row\$4 rocord\$4 tuplo\$4) CAME (Sold\$4 astron\$4	IBM_TDB	2002/07/00 44:40
-	35	((row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1 attribute\$1) SAME (table\$1) SAME file\$1) AND olap	USPAT; EPO; JPO;	2003/07/09 14:48
	[	AMD CIAD	DERWENT;	
	į –		IBM_TDB	
-	335	olap	USPAT;	2003/07/10 15:22
		·	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	20	olap AND (distribut\$4 NEAR2 processing\$1)	USPAT;	2003/07/10 15:25
	'		EPO; JPO;	
			DERWENT;	
_	5	(olap AND (distribut\$4 NEAR2 processing\$1)) AND partition\$4	IBM_TDB USPAT;	2003/07/10 15:23
		AND merg\$4	EPO; JPO;	2003/07/10 15.23
	[	· · · · = · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
-	48	olap AND (distribut\$4 NEAR2 (process\$4 server\$1))	USPAT;	2003/07/10 15:34
			EPO; JPO;	
			DERWENT;	
,		707/40 .1 AND 1	IBM_TDB	
-	34	707/10.ccls. AND olap	USPAT;	2003/07/10 15:39
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

Γ <u>-</u>	3	olap AND (distribut\$4 NEAR8 merg\$4)	USPAT;	2003/07/10 15:44
_		olap AND (distributor NEANO mergor)	EPO; JPO;	2000/07/10 10.44
			DERWENT;	
-			IBM TDB	
_	0	20020040639.pn. AND cds	USPAT;	2003/07/10 15:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	20020040639.pn. AND cds	USPAT;	2003/07/10 15:45
	· I		US-PGPUB;	
			EPO; JPO;	
'			DERWENT;	
			IBM_TDB	
	3329	set NEAR2 server\$1	USPAT;	2003/07/10 15:45
	, , ,		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l <u>-</u>	249	(set NEAR2 server\$1) AND 707/10.ccls.	USPAT;	2003/07/10 15:46
		(••••	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	53	((set NEAR2 server\$1) AND 707/10.ccls.) AND merg\$4	USPAT;	2003/07/10 17:11
		, , ,	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
1 -	2009	application\$1 NEAR1 controller\$1	USPAT:	2003/07/10 17:11
		September 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	EPO; JPO;	
j			DERWENT:	
			IBM_TDB	
_	777	application ADJ1 controller\$1	USPAT;	2003/07/10 17:11
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(application ADJ1 controller\$1) AND olap	USPAT;	2003/07/10 17:11
		, , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	·
-	3	(application ADJ1 controller\$1) AND 707/10.ccls.	USPAT;	2003/07/10 17:12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	(application ADJ1 controller\$1) AND 707/\$.ccls.	USPAT;	2003/07/10 17:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	512	application ADJ1 controller\$1	USPAT	2003/07/10 17:13
-	67	(application ADJ1 controller\$1) AND database\$1	USPAT	2003/07/10 17:13
-	1472	(database storage) NEAR2 (centraliz\$5)	USPAT;	2003/07/11 15:07
			EPO; JPO;	
		·	DERWENT;	
	1		IBM_TDB	,
-	5	(((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 14:56
	1	WITH data WITH server\$1)) AND (server\$1 WITH merg\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	41	(((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 15:02
		WITH data WITH server\$1)) AND (load\$3 WITH data WITH	EPO; JPO;	
		server\$1)	DERWENT;	
1			IBM_TDB	
-	8	(((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 15:04
		WITH data WITH server\$1)) AND (olap mining\$1)	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	1
-	130	((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 15:04
	1	WITH data WITH server\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	358	((database storage repository) NEAR2 (centraliz\$5)).ti,ab.	USPAT;	2003/07/11 15:58
			EPO; JPO;	
			DERWENT; IBM_TDB	
1_	10	(((database storage repository) NEAR2 (centraliz\$5)).ti,ab.)	USPAT;	2003/07/11 15:07
		AND (parallel NEAR2 (process\$3 server\$1))	EPO; JPO;	2000/07/11 10:07
		(	DERWENT;	
			IBM_TDB	
-	152	((database storage repository) NEAR2 (centraliz\$5)) AND	USPAT;	2003/07/11 15:11
ļ		(parallel NEAR2 (process\$3 server\$1))	EPO; JPO;	
1			DERWENT; IBM_TDB	
_	2	5974411.pn.	USPAT;	2003/07/11 15:18
	_		EPO; JPO;	2000/01/11 10:10
			DERWENT;	
			IBM_TDB	
-	1	5974411.pn. AND encod\$3	USPAT;	2003/07/11 15:20
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	492	parallel NEAR2 server\$1	USPAT;	2003/07/11 15:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	105	(parallel NEAR2 server\$1) AND 707/\$.ccls.	USPAT;	2003/07/11 15:27
			EPO; JPO; DERWENT;	
1.			IBM_TDB	
-	31	(parallel NEAR2 server\$1) AND (olap (data ADJ1 min\$4) (data	USPAT;	2003/07/11 15:31
		NEAR2 analysis))	EPO; JPO;	
			DERWENT;	
	0	CLARECC	IBM_TDB	2002/07/44 45:24
-	U	CLAREOS.as.	USPAT; EPO; JPO;	2003/07/11 15:31
			DERWENT;	
	,		IBM_TDB	
-	3	((database storage repository) NEAR2 (centraliz\$5)) AND	USPAT;	2003/07/11 15:58
		(parallel NEAR2 servers)	EPO; JPO;	'
			DERWENT; IBM_TDB	
-	147	parallel NEAR2 servers	USPAT;	2003/07/11 15:59
		'	EPO; JPO;	
			DERWENT;	
	_	/#FF 40570# L #F0505 47# L #0004004# L #0075040# L	IBM_TDB	0000007444004
-	5	("5546570"   "5850547"   "6081801"   "6275818"     "6289334").PN.	USPAT	2003/07/11 16:01
_	. 6	0269334 ).FIN.   ("5581753"   "5586310"   "5664170"   "5963945"   "6009427"	USPAT	2003/07/11 16:10
		"6330560").PN.	JUI 711	
-	1	(denormaliz\$6 (de ADJ1 normaliz\$6)) AND 5852819.pn.	USPAT;	2003/07/15 12:34
			EPO; JPO;	
			DERWENT;	
_	761	(denormaliz\$6 (de ADJ1 normaliz\$6))	IBM_TDB USPAT;	2003/07/15 13:38
		( Constitution of the control of the	EPO; JPO;	
			DERWENT;	,
			IBM_TDB	
-	76	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND 707/\$.ccls.	USPAT;	2003/07/15 12:34
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	147	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND (parallel NEAR2	USPAT;	2003/07/15 13:39
		(process\$3 server\$1))	EPO; JPO;	
		<u>'</u>	DERWENT;	
_	3	(((denormaliz\$6 (de AD I1 normaliz\$6\\\ AND (accellet NEAD)	IBM_TDB	2002/07/45 40:40
-	3	(((denormaliz\$6 (de ADJ1 normaliz\$6))) AND (parallel NEAR2 (process\$3 server\$1))) AND (determin\$6 NEAR4 number\$1	USPAT; EPO; JPO;	2003/07/15 13:40
		NEAR4 server\$1)	DERWENT;	
			IBM_TDB	
0 1 111 1		7:55:26 PM Page 5		

	,			
-	33	(determin\$6 NEAR4 number\$1 NEAR4 server\$1) AND	USPAT;	2003/07/15 13:55
		(parallel NEAR2 (process\$3 server\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000107115 10 50
-	2111	determin\$6 NEAR2 partition\$5	USPAT;	2003/07/15 13:56
			EPO; JPO;	
İ			DERWENT;	
		(data and a GO NEADO a a dition of CO NAME (a control NEADO	IBM_TDB	0000/07/45 40:57
-	. 0	(determin\$6 NEAR2 partition\$5) SAME (parallel NEAR2	USPAT;	2003/07/15 13:57
1		server\$1)	EPO; JPO;	
			DERWENT;	
	1	(determines NEAD2 neglitiones) SAME (negalici NEAD4	IBM_TDB	2002/07/45 14:01
-	1	(determin\$6 NEAR2 partition\$5) SAME (parallel NEAR4 server\$1)	USPAT; EPO; JPO;	2003/07/15 14:01
		Servery 1)	DERWENT;	
			IBM_TDB	
	103	((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1))	USPAT;	2003/07/15 14:02
	103	((determines analyer) NEARY (partitioner NEARZ value 1))	EPO; JPO;	2000/07/10 14.02
			DERWENT;	
			IBM TDB	
l _	2	((((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1)))	USPAT;	2003/07/15 14:02
	_	AND parallel) AND (olap mining mine)	EPO; JPO;	2003/01/13 14.02
		, and paramon, and total mining mino,	DERWENT;	
			IBM_TDB	
_	40	(((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1)))	USPAT;	2003/07/15 14:06
		AND parallel	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	122	((determin\$4 identif\$4) NEAR4 (partition\$4 NEAR2 value\$1))	USPAT;	2003/07/15 14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	(partition\$4) SAME (categorical)	USPAT;	2003/07/15 14:58
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	("6567803").pn.	USPAT;	2003/07/27 19:35
			EPO; JPO;	
			DERWENT;	
	2	5057470 mm	IBM_TDB	2002/07/20 44-20
-	2	5857179.pn.	USPAT;	2003/07/29 14:39
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	192	ref NEAR2 type\$1	USPAT;	2003/07/29 14:35
	132	1011121112 GPOWI	EPO; JPO;	2000/01/20 14.00
			DERWENT:	
			IBM TDB	
-	73	rep NEAR2 type\$1	USPAT;	2003/07/29 14:35
	. •		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(rep NEAR2 type\$1) AND (mask\$3 NEAR2 hit)	USPAT;	2003/07/29 14:38
			EPO; JPO;	==
			DERWENT;	
		·	IBM_TDB	
-	133	mask\$3 NEAR2 hit	USPAT;	2003/07/29 14:38
			EPO; JPO;	
1			DERWENT;	
]			IBM_TDB	
-	_ 23	(mask\$3 NEAR2 hit) AND (quer\$4 search\$3)	USPAT;	2003/07/29 14:38
			EPO; JPO;	
			DERWENT;	
		//mook\$2 NEAD2 his AND /mook\$2 NEAD2	IBM_TDB	2002/07/00 44 55
-	2	((mask\$3 NEAR2 hit) AND (quer\$4 search\$3)) AND database\$1	USPAT;	2003/07/29 14:38
		ualavasea I	EPO; JPO;	
			DERWENT; IBM_TDB	
	L	7:55:26 DM Dogo 6	םטו וווטו	

f	1059	(bit NEAR2 map) AND (search\$3 quer\$4) AND database\$1	LICDAT	2003/07/29 14:41
1	1009	(or HEVIVE map) VIAD (searcings due 24) VIAD darabases	USPAT;	2003/07/29 14:41
			EPO; JPO;	
			DERWENT;	
	24	(/hit NEAD2 man) AND (conneb C2 myor C4) AND details a set (	IBM_TDB	0000/07/00 44 44
-	24	( ( - · · · - · · · - · · · · · · · · ·	USPAT;	2003/07/29 14:41
		AND ((bit NEAR2 map) NEAR4 result\$1)	EPO; JPO;	
			DERWENT;	
		00000040000	IBM_TDB	
-	1	20020040639.pn. AND select\$3	US-PGPUB	2004/03/17 18:12
-	1	20020040639.pn. AND select\$	US-PGPUB	2004/03/17 18:12
-	1 1	20020040639.pn. AND select\$10	US-PGPUB	2004/03/17 19:39
-	24	[ //===================================	US-PGPUB	2004/03/17 19:44
		data)) AND compress\$3		
-	. 128	(( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	USPAT;	2004/03/17 19:44
1		data)) AND compress\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
-	38	(((denormaliz\$6 de-normaliz\$6) NEAR4 (table\$1 database\$1	USPAT;	2004/03/17 19:45
		data)) AND compress\$3 ) AND 707/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	i
			IBM TDB	